



## **Guwahati Biotech Park**

**Amingaon, Kamrup Near SP Office  
Guwahati- 781 031**

GBP/1.17.1 /2023-24/ 5470

Date: 06/06/2023

### **NOTICE INVITING QUOTATION FOR REPAIRING WORK AT TIC OF GUWAHATI BIOTECH PARK**

Guwahati Biotech Park invites sealed quotations from experienced firm / agency for repairing work at Technology Incubation Centre , Guwahati Biotech Park , Amingaon . Details may be collected from the office of Guwahati Biotech Park or may be downloaded from the official website [www.guwahatibiotechpark.com](http://www.guwahatibiotechpark.com) under Business/Tender section. Last date for submission of quotation is 9<sup>th</sup> June 2023 at 2 PM.

#### **Terms and Conditions:**

1. Quotations will have to be submitted in a Sealed Envelope and should be addressed to The Chief Executive Officer, Guwahati Biotech Park, Amingaon, Kamrup, Guwahati -781031, Assam, India and reach the office of the Guwahati Biotech Park on or before 8<sup>th</sup> June at 2 PM.
2. Rates quoted should as per the format in Annexure I.
3. The selected firm will have to complete the work within 7 days from the date of issue of the work order.
4. Payment Terms: 100% payment shall be made within 2-3 weeks from the date of successful completion of the work.

Sd/

**Chief Executive Officer  
Guwahati Biotech Park**

**Annexure -1**

**Schedule of Rate**

GBP/1.17.1/2023-24 /

Dated: 06/06/2023

**NAME OF THE WORK: REPAIRING WORK AT TIC OF GUWAHATI BIOTECH PARK**

Sl No	Description of Item	Unit	Qty	Rate /Unit	Amount ( INR)
1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering				
	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 40	Cum	2.00		
2	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer	Sqm	145		
3	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content. With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre	Sqm	145		
4	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour . Two Coats	Sqm	145		
5	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even				
	Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	Sqm	80		
6	Fixing of floor mat with adhesive in the Auditorum	sqm	5		
Sub – Total ( A)					
GST @ on ( A)					
Grand Total					

(Rupees \_\_\_\_\_)

Bidder's signature with seal

